Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
LI	19955	bearing and (coil winding) and (wireless radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 10:16
L2	668	1 and (stator and rotor) and stator same (teeth pole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 10:16
SI	1523	(INOUE near3 MASAHIRO).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 19:53
S2	196	S1 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 21:55
S3 .	1979021	bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 19:54
S4	34802	S3 and (coil winding) near3 (sens\$3 detect\$3 output receiv\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 19:56
S5	4363	S4 and (rotor rotat\$3 revolv\$3 roll\$3) with (flat nut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 19:57

\$6	1850	324/207.25.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 23:56
S7	359	S6 and (flat nut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 19:57
S8	11168	S3 and (teeth tooth) with (winding coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 21:03
S9	2058	S8 and (detect\$3 sens\$3 transducer probe determin\$5) near5 (rotat\$3 rotational angle revolv\$3 roll\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 21:05
S10	594	S9 and (rotor rotat\$3 revolv\$3 roll\$3) with (nut flat notch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 10:15
S11	593	S10 not S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 21:06
S12	748	384/448.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 22:29

7/9/2007 10:23:24 AM

Page 2

		EAST Seatch				
S13	89	S6 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 21:06
S14	370	roll\$3 adj2 bearing and resolver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 22:01
S15	176	S14 and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/08 22:01
S16	4	("5914548").URPN.	USPAT	OR	ON	2007/07/08 22:15
S17	4	("4969753" "5121998" "5129742" "5183341").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/08 23:45
S18	4	("5624192").URPN.	USPAT	OR	ON	2007/07/08 23:45
S19	2	("5300882" "5485046").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/09 00:04
S20	4	("4969753" "5121998" "5129742" "5183341").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/09 02:12
S22	13817	324/207.11,207.12,207.15,207.16,207.17, 207.25,160-180.ccls. 33/1PT,1N.ccls. 310/68B,168.ccls. 318/661.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 06:55
S23	1097	S22 and (generat\$3 driv\$3 excit\$5) near3 (coil winding) same (magnet pole encoder pulser multi\$1 pol\$3) and (magnet pole encoder pulser multi\$1 pol\$3) with (rotat\$3 rotor revolv\$3 roll\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 04:35
S24	2900	S22 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 04:34

S25	534	S23 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 04:55
S26	1843	S24 and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 05:37
S27	4	("20040062459" "5914548").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 04:57
S28	127	S26 and (wireless radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 04:57
S29	1309	S26 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 05:38